CLAIM AMENDMENTS

This listing of claims will replace all prior versions and listings of claims in the application:

- 1. (currently amended) A vaccine which is protective against *Mycoplasma bovis* clinical disease in a bovine species comprising at least one inactivated or attenuated *Mycoplasma bovis* biotype, an adjuvant, and a pharmaceutically acceptable excipient, and wherein the vaccine adjuvant does not include saponin and the clinical disease includes respiratory pneumonia.
- 2. canceled
- 3. (currently amended) The vaccine of claim l, wherein the *Mycoplasma bovis* biotype is inactivated and the amount of each inactivated biotype is at least 10⁸ *M*. bovis cells.
- 4. (currently amended) The vaccine of claim 1, wherein the *Mycoplasma bovis* biotype is attenuated and the amount of each attenuated biotype is at least 10⁵ *M. bovis* cells.
- 5. (currently amended) A vaccine which is protective against *Mycoplasma bovis* clinical disease in a bovine species comprising at least one inactivated or attenuated *Mycoplasma bovis* biotype, an adjuvant, and a pharmaceutically acceptable excipient, wherein at least one of the inactivated or attenuated *Mycoplasma bovis* biotypes is selected from the group consisting of biotype A, biotype B and Biotype C, and wherein the vaccine adjuvant does not include saponin.
- 6. (currently amended) The vaccine of claim 5, wherein the *Mycoplasma bovis* biotype is inactivated and the amount of each selected inactivated *Mycoplasma bovis* biotype is at least 10⁸ *M. bovis* cells.

- 7. (currently amended) The vaccine of claim 5, wherein the *Mycoplasma bovis* biotype is attenuated and the amount of each selected attenuated *Mycoplasma bovis* biotype is at least 10⁵ *M. bovis* cells.
- 8. (currently amended) The vaccine of claim 1, wherein the A vaccine which is protective against *Mycoplasma bovis* clinical disease in a bovine species comprising at least two inactivated or attenuated *Mycoplasma bovis* biotypes and a pharmaceutically acceptable excipient.
- 9. (original) The vaccine of claim 8, further comprising a suitable adjuvant.
- 10. (currently amended) The vaccine of claim 8, wherein the *Mycoplasma bovis* biotype is inactivated and the amount of each inactivated biotype is at least 10⁸ *M. bovis* cells.
- 11. (currently amended) The vaccine of claim 8, wherein the <u>Mycoplasma bovis</u> biotype is attenuated and the amount of each attenuated biotype is at least 10⁵ M. bovis cells.
- 12. (currently amended) The vaccine of claim 8, wherein the *Mycoplasma bovis* biotype is biotypes are selected from the group consisting of biotype A, biotype B and biotype C.
- 13-28. (canceled)
- 29. (new) A vaccine which is protective against *Mycoplasma bovis* mastitis in a bovine species comprising at least one inactivated or attenuated Mycoplasma *bovis* biotype and a pharmaceutically acceptable excipient.
- 30. (new) The vaccine of claim 29, where the vaccine is protective against *Mycoplasma* bovis mastitis in a bovine species following systemic administration.

- 31. (new) The vaccine of claim 30, comprising at least two inactivated *Mycoplasma bovis* biotypes.
- 32. (new) The vaccine of claim 31, wherein the vaccine includes at least one inactivated *Mycoplasma bovis* biotype selected from the group consisting of biotype A, biotype B and biotype C.
- 33. (new) The vaccine of claim 31 wherein the vaccine contains approximately 10⁸ cells of each biotype in a volume of 2-5 milliliters.
- 34. (new) The vaccine of claim 8 wherein the at least two inactivated or attenuated *Mycoplasma bovis* biotypes are genetically different as determined by an analysis of DNA or RNA from the biotypes.
- 35. (new) The vaccine of claim 34 wherein the analysis is by PCR fingerprinting, analysis of ribosomal RNA, or analysis of DNA polymorphisms.
- 36. (new) The vaccine of claim 35 wherein the analysis is by PCR fingerprinting.
- 37. (new) The vaccine of claim 36 wherein the PCR fingerprinting uses arbitrarily chosen primers.
- 38. (new) The vaccine of claim 37 wherein the PCR fingerprinting uses as primers 5' NNN NCG NCG NCA TCN GGC 3' (SEQ ID NO:1) and 5' NCG NCT TAT CNG GCC TAC 3' (SEQ ID NO:2).
- 39. (new) The vaccine of claim 8 wherein the at least two *Mycoplasma bovis* biotypes have been identified as being different biotypes by a process comprising:
- (a) isolating DNA from the biotypes;
- (b) amplifying the DNA by PCR;

- (c) separating the amplified DNA by gel electrophoresis; and
- (d) comparing the resulting patterns from the gel electrophoresis to identify the different biotypes.
- 40. (new) The vaccine of claim 30 wherein, when the vaccine is administered to a plurality of cows in a herd of cows, the incidence of mastitis caused by *Mycoplasma bovis* in the herd before administering is greater than the incidence of mastitis caused by *Mycoplasma bovis* in the herd after administering.
- 41. (new) The vaccine of claim 40 wherein the vaccine is administered to at least about 50% of the herd.
- 42. (new) The vaccine of claim 41 where the vaccine is administered together with an adjuvant.
- 43. (new) The vaccine of claim 42 wherein the adjuvant is an aluminum hydroxide-oil emulsion; a mineral, vegetable, or fish oil-water emulsion; a water-oil-water emulsion; incomplete Freund's adjuvant; *E. coli* J5; dextran sulfate; iron oxide; sodium alginate; Bacto-Adjuvant; a synthetic polymer; Carbopol; a poly-amino acid; a co-polymer of amino acids; saponin; carrageenan; REGRESSIN®; N, N-dioctadecyl-N'-N'-bis(2-hydroxyethyl) propanediamine; a long chain polydispersed $\beta(1,4)$ linked mannan polymer interspersed with O-acetylated groups; deproteinized cell wall extracts from a non-pathogenic strain of *Mycobacterium*; mannite monooleate; paraffin oil; or muramyl dipeptide.
- 44. (new) The vaccine of claim 30 where the *Mycoplasma bovis* biotype is inactivated and has been inactivated by treatment with: formalin, azide, freeze-thawing, sonication, heat, sudden pressure drop, detergent, lysozyme, phenol, proteolytic enzymes, β-propiolactone, Thimerosal, or binary ethyleneimine.

- 45. (new) The vaccine of claim 44 where the *Mycoplasma bovis* biotype has been inactivated by treatment with β -propiolactone.
- 46. (new) The vaccine of claim 31 wherein the at least two inactivated *Mycoplasma bovis* biotypes are genetically different as determined by an analysis of DNA or RNA from the biotypes.
- 47. (new) The vaccine of claim 46 wherein the analysis is by PCR fingerprinting, analysis of ribosomal RNA, or analysis of DNA polymorphisms.
- 48. (new) The vaccine of claim 47 wherein the analysis is by PCR fingerprinting.
- 49. (new) The vaccine of claim 48 wherein the PCR fingerprinting uses arbitrarily chosen primers.
- 50. (new) The vaccine of claim 49 wherein the PCR fingerprinting uses as primers 5' NNN NCG NCG NCA TCN GGC 3' (SEQ ID NO:1) and 5' NCG NCT TAT CNG GCC TAC 3' (SEQ ID NO:2).
- 51. (new) The vaccine of claim 31 wherein the at least two *Mycoplasma bovis* biotypes have been identified as being different biotypes by a process comprising:
- (a) isolating DNA from the biotypes;
- (b) amplifying the DNA by PCR;
- (c) separating the amplified DNA by gel electrophoresis; and
- (d) comparing the resulting patterns from the gel electrophoresis to identify the different biotypes.
- 52. (new) A whole-cell vaccine which is protective against *Mycoplasma bovis* clinical disease in a bovine species comprising at least one inactivated or attenuated *Mycoplasma bovis* biotype and an adjuvant selected from the group consisting of: an aluminum hydroxide-oil

emulsion; a mineral, vegetable, or fish oil-water emulsion; a water-oil-water emulsion; E. coli J5; dextran sulfate; iron oxide; sodium alginate; Bacto-Adjuvant; a synthetic polymer; Carbopol; a poly-amino acid; a co-polymer of amino acids; carrageenan; REGRESSIN®; N, N-dioctadecyl-N'-N'-bis(2-hydroxyethyl) propanediamine; a long chain polydispersed $\beta(1,4)$ linked mannan polymer interspersed with O-acetylated groups; deproteinized cell wall extracts from a non-pathogenic strain of Mycobacterium; mannite monooleate; and paraffin oil.

- 53. (new) The vaccine of claim 1, wherein the *Mycoplasma bovis* biotype is inactivated.
- 54. (new) The vaccine of claim 5, wherein the Mycoplasma bovis biotype is inactivated.
- 55. (new) The vaccine of claim 52, wherein the *Mycoplasma bovis* biotype is inactivated.
- 56. (new) A vaccine which is protective against *Mycoplasma bovis* clinical disease in a bovine species comprising at least one attenuated *Mycoplasma bovis* biotype_and a pharmaceutically acceptable excipient, wherein the clinical disease includes respiratory pneumonia.